

Aruna Seneviratne MD

Tel: (212) 636 8290 Fax: (212) 636 3102

www.replayortho.com

Department of Orthopaedic Surgery 425 West 59th Street, 5th floor New York, NY 10019

PECTORALIS MAJOR REPAIR

Post-op Days 1 - 14

Shoulder Immobilizer x<u>4</u> weeks – Even while sleeping
– Place pillow under shoulder / arm while sleeping for comfort
Hand squeezing exercises
Elbow and wrist AROM with shoulder in neutral position at side
Stationary bike (must wear immobilizer)
Supported pendulum exercises

Goals

Pain control Protection

Weeks 2 - 4

Continue immobilizer x<u>4</u> weeks
Continue appropriate previous exercises
Supported pendulum exercises
Resisted elbow / wrist exercises with light dumbbell (< 5#), shoulder in neutral

Goals

Pain control Protection

Weeks 4 - 6

D/C Immobilizer

Continue appropriate previous exercises Shoulder shrugs, scapular retraction without resistance AAROM supine with wand – Flexion to 90 degrees 1-2 Finger Isometrics x 6 (fist in box)

Goal - Supine AAROM Flexion to 90 degrees

Weeks 6 - 8

Continue appropriate previous exercises AROM in pain-free range as tolerated, **No PROM** Continued on following page



Aruna Seneviratne MD

Tel: (212) 636 8290 Fax: (212) 636 3102

Department of Orthopaedic Surgery 425 West 59th Street, 5th floor New York, NY 10019

www.replayortho.com

AAROM (pulleys, supine wand, wall climb)

- Flexion > 90 degrees
- Abduction and ER to tolerance
- IR and extension (wand behind back)

Submaximal isometrics (continue 1-2 fingers for IR)

Elliptical trainer - LEs only

Treadmill - Walking progression program

Goal – AROM Flexion to 120 degrees, Abduction to 90 degrees

Weeks 8 - 12

Continue appropriate previous exercises AROM, AAROM through full range, **No PROM**Light Theraband ex – ER, Abduction, Extension
Biceps and Triceps PREs
Prone scapular retraction exercises (without weights)
Push-up plus on wall – No elbow flexion > 90 degrees
Body blade
BAPS on hands
Ball on wall (arcs, alphabet)
Elliptical trainer (upper and lower extremities)
Pool walking / running – No UE resistive exercises

Goals

Full AROM 30 wall push-ups

Months 3 - 4

Continue appropriate previous exercises PROM / mobilization as needed to regain full ROM Light Theraband ex – IR, Adduction, Flexion, Scaption

- Continue ER, Abduction, Extension with increased resistance

Push-up progression – Wall to table to chair (no elbow flexion > 90 degrees)

Weight training with **VERY LIGHT** resistance (no flies or pull downs)

- No elbow flexion > 90 degrees
- Bench press
- Seated row weight machine
- Cable column

Ball toss with arm at side using light ball

UBE forwards and backwards at <u>low</u> resistance

Stairmaster

Treadmill – Running progression program

Pool walking / running – With UE resistance (No swimming)

Goals

30 table push-ups Run 2 miles at easy pace



Aruna Seneviratne MD

Tel: (212) 636 8290 Fax: (212) 636 3102

www.replayortho.com

Department of Orthopaedic Surgery 425 West 59th Street, 5th floor New York, NY 10019

Months 4 - 6

Continue appropriate previous exercises with increased resistance

Fitter on hands Ball toss overhead

Push-up progression - Chair to regular

Sit-ups

Weight training with increasing resistance

- No elbow flexion > 90 degrees
- Military press, lat pull downs, flies
- Gravitron for pull-ups and dips

Swimming

Running progression to track

Transition to home / gym program

Goals

Normal Pectoralis Major strength Resume all activities Pass APFT at 6 months post-op

No contact sports until after 6 months post-op

Source:

PHYSICAL THERAPY SECTION WILLIAM BEAUMONT ARMY MEDICAL CENTER 5005 N. PIEDRAS ST EL PASO, TEXAS 79920

> LEANNE M. VONASEK LTC, SP Chief, Physical Therapy

WINSTON J. WARME COL, MC Chief, Orthopedics/Rehabilitation Services