

### Aruna Seneviratne MD

Tel. 212-636-8290 Fax 212-636-3102

www.replayortho.com

Department of Orthopaedic Surgery

425 West 59th Street, 5th floor New York, NY 10019

# Rehabilitation Protocol Following Quadriceps Tendon Repair

#### POD #1-14

**Brace** – Locked in extension for ambulation and sleeping. Off for hygiene and exercises.

**ROM -** 0-30deg - non weight bearing

Exercises - Heel slides, quad sets, patellar mobs, SLR, calf pumps

**Weight Bearing** – as tolerated with brace locked in extension.

#### **Week 2-8**

Brace - 2-4 weeks: Locked in full extension day and night

4-6 weeks: Off at night; locked in full extension daytime

6-7 weeks: 0-45° 7-8 weeks: 0-60°

Discontinue brace at 8 weeks

**ROM -** 2-3 weeks: 0-45°

3-4 weeks: 0-60° 4-6 weeks: : 0-60°

6-8 weeks: progress slowly as tolerated

**Exercises** – Advance Phase 1 exercises Add side-lying hip/core/glutes Begin WB calf raises No weight bearing with flexion >90deg

Weight Bearing - as tolerated

Modalities - Ultrasound, E.Stim.

#### Week 8-12

Brace - None

**ROM -** 0-140 as tolerated - regain full flexion.

**Exercises** - Progress closed chain activities. Begin hamstring work, lunges/leg press 0-90°, proprioception exercises, balance/core/hip/glutes. Begin stationary bike when able.

Weight Bearing - Full

## **Beyond 3 months**

Progress week 8-12 exercises and functional activities: single leg balance, core, glutes, eccentric hamstrings, elliptical, and bike. Swimming okay at 12 wks. Advance to sport-specific drills and running/jumping after 20 wks once cleared by MD